



VS502H-2418-CLX

specifications

- 8 - 50 ton compression force
- 24" L-R x 18" F-B fully guided heated/cooled platens
- 500 F max operating temperature
- 4" open daylight
- 7" bore JIC style clamp cylinder
- 8" stroke
- 75 IPM closing speed
- 5 IPM pressing speed
- 80 IPM opening speed
- Weight: 11,500 lbs.
- Dimensions: 78" w x 48" d x 85" h

features

- Slab side vacuum chamber construction
- Front and Rear interlock access doors
- Self-contained hydraulic system
- 'Mini' Viewpoint control system including:
 - Allen Bradley MicroLogix 1200 programmable controller
 - PanelView 550 operator interface
 - Closed-loop control of clamp pressure
 - Closed-loop control of platen temperature
- Cycle counter thru PLC
- Proximity switches to control "slow close" position and "cycle reset"
- Non-fused disconnect
- Automatic low pressure system
- Central lubrication point



Wabash MPI

1569 Morris St., P.O. Box 298, Wabash, IN 46992-0298 USA

Phone: 260-563-1184 Fax: 260-563-1396

Email: wabashmpi@corpemail.com, Internet: www.wabashmpi.com

All data subject to change without notice © 2011 Wabash MPI

